

TSE399-W

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** TSE399-W

**Other means of identification**

**Synonyms:** 1 PART LOW VISCOSITY - ALKOXY

**Recommended use and restriction on use**

**Recommended use:** Silicone Elastomer

**Restrictions on use:** For industrial use only.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials - Japan LLC  
133 Nishishin-machi, Ohta-shi  
Ohta-shi 10 3738505

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**  
**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Toxic to reproduction	Category 1B

**Unknown toxicity - Health**

Acute toxicity, oral	0 %
Acute toxicity, dermal	0 %
Acute toxicity, inhalation, vapor	0 %
Acute toxicity, inhalation, dust or mist	0 %

**Label Elements**

**Hazard Symbol:**

**TSE399-W**



**Signal Word:** Danger

**Hazard Statement:** H315; Causes skin irritation.  
H319; Causes serious eye irritation.  
H317; May cause an allergic skin reaction.  
H360; May damage fertility or the unborn child.

**Precautionary Statements**

**Prevention:** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

**Substance(s) formed under the conditions of use:** Generates methanol during cure.

<b>3. Composition/information on ingredients</b>
--

**TSE399-W**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) Silica	7631-86-9	5 - <10%	# This substance has workplace exposure limit(s).
CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	134759-20-9	1 - <3%	No data available.
(1) TITANIUM DIOXIDE	13463-67-7	0.1 - <1%	# This substance has workplace exposure limit(s).
1-PROPANAMINE, 3-(TRIETHOXYSILYL)-	919-30-2	0.1 - <1%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	# This substance has workplace exposure limit(s).
Dibutyltin Dilaurate	77-58-7	0.1 - <0.3%	# This substance has workplace exposure limit(s).

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**4. First-aid measures**

<b>Ingestion:</b>	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention if any discomfort continues.
<b>Inhalation:</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
<b>Skin Contact:</b>	Wash with soap and water. Get medical attention if symptoms occur.
<b>Eye contact:</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

**TSE399-W**

**Symptoms:** Product may hydrolyse upon contact with body fluids in the gastrointestinal tract to produce additional methanol; therefore, consider the signs/symptoms of methanol poisoning and also observe the known latency period of several days!

**Hazards:** No information about adverse effects due to exposure.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Reacts with water liberating small amounts of methanol. In case of fire, carbon monoxide and carbon dioxide may be formed. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** Move container from fire area if it can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Keep container closed. Avoid contact with skin and eyes. Keep out of reach of children. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

**Methods and material for containment and cleaning up:** Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**TSE399-W**

**Notification Procedures:** In case of spills, beware of slippery floors and surfaces. Stop the flow of material, if this is without risk. Keep unprotected persons away. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Avoid discharge into drains, water courses or onto the ground.

**7. Handling and storage**

**Precautions for safe handling:** Sensitivity to static discharge is not expected. Methanol is formed during processing. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Do not get in eyes, on skin, on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment. Use only with adequate ventilation.

**Conditions for safe storage, including any incompatibilities:** No data available.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
(1) Silica	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	6 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	6 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
(1) Silica - Particulate.	ST ESL	27 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) Silica	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
(1) TITANIUM DIOXIDE - Particulate.	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01

**TSE399-W**

(1) TITANIUM DIOXIDE - Respirable fraction.	TWA PEL	5 mg/m3	2015) US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Dibutyltin Dilaurate - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Dibutyltin Dilaurate - Particulate.	AN ESL	0.1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Dibutyltin Dilaurate - as Sn	TWA PEL	0.1 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	STEL	0.2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
Octamethylcyclotetrasiloxane	TWA	5 ppm	
Octamethylcyclotetrasiloxane - Vapor.	ST ESL	1,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Octamethylcyclotetrasiloxane	TWA	10 ppm	US. OARS. WEELs Workplace Environmental Exposure Level Guide (2014)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**Appropriate Engineering Controls**

Eye wash facilities and emergency shower must be available when handling this product.

**TSE399-W**

**Individual protection measures, such as personal protective equipment**

<b>General information:</b>	Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.
<b>Eye/face protection:</b>	Safety glasses with side shields
<b>Skin Protection</b>	
<b>Hand Protection:</b>	Chemical resistant gloves
<b>Other:</b>	Wear suitable protective clothing and eye/face protection.
<b>Respiratory Protection:</b>	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
<b>Hygiene measures:</b>	Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat or drink.

**9. Physical and chemical properties**

**Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	Paste
<b>Color:</b>	White
<b>Odor:</b>	Faint
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	Not applied
<b>Initial boiling point and boiling range:</b>	Not applicable
<b>Flash Point:</b>	ca. 198 °C
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	1.04 g/cm <sup>3</sup> (25 °C)
<b>Relative density:</b>	1.04
<b>Solubility(ies)</b>	

## TSE399-W

<b>Solubility in water:</b>	Insoluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.
<b>Other information</b>	
<b>Minimum ignition temperature:</b>	450 °C
<b>VOC:</b>	; No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No dangerous reaction if used as recommended.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Hazardous polymerisation does not occur.
<b>Conditions to avoid:</b>	Avoid high temperatures and moisture.
<b>Incompatible Materials:</b>	Moisture. Strong Acids, Strong Bases
<b>Hazardous Decomposition Products:</b>	Generates methanol during cure. Carbon dioxide Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.



**TSE399-W**

**Eye contact:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

(1) Silica LD 50 (Rat): > 15,000 mg/kg

CYCLOPENTYLSILAZA  
NE-AMINOSILOXANE  
COPOLYMER,  
METHOXY  
TERMINATED  
LD 50 (Rat, male and female): 4,666 mg/kg

(1) TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Octamethylcyclotetrasiloxane  
LD 50 (Rat): 4,800 mg/kg

Dibutyltin Dilaurate LD 50 (Rat, male and female): 2,071 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

(1) TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Octamethylcyclotetrasiloxane  
LD 50 (Rat): > 2,400 mg/kg

Dibutyltin Dilaurate LD 50 (Rat, ): > 2,000 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

---

**TSE399-W**

**Specified substance(s):**

(1) TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

Octamethylcyclotetrasiloxane LC50 (Rat): 36 mg/l

Dibutyltin Dilaurate LC50 (Rat, ): 10 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

1-PROPANAMINE, 3-(TRIETHOXYSYLYL)- NOAEL (Rat, Oral, 90 d): 200 mg/kg

**Skin Corrosion/Irritation**

**Product:** No data available.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified  
**US. National Toxicology Program (NTP) Report on Carcinogens:**  
No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**TSE399-W**

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s):**

1-PROPANAMINE, 3-(TRIETHOXYSYLYL)-  
Ames-Test: negative  
Chinese Hamster Ovary (CHO): negative

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)  
Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

**In vivo**

**Product:** No data available.

**Specified substance(s):**

1-PROPANAMINE, 3-(TRIETHOXYSYLYL)-  
Micronucleus test (mouse): negative

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:**

Contains dibutyl tin dilaurate which may cause birth defects and reproductive effects based on animal data.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

(1) Silica LC0 (Brachydanio rerio, 96 h): 5,000 mg/l

(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

**TSE399-W**

1-PROPANAMINE, 3-  
(TRIETHOXYISILYL)- LC50 (Brachydanio rerio, 96 h): > 934 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

1-PROPANAMINE, 3-  
(TRIETHOXYISILYL)- EC50 (Daphnia magna, 48 h): 331 mg/l

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0.463 mg/l Fresh water

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

(1) Silica LC0 (Brachydanio rerio, 4 d): 5,000 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

1-PROPANAMINE, 3-  
(TRIETHOXYISILYL)- EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1,000 mg/l  
NOEC (Desmodesmus subspicatus (green algae), 72 h): 1.3 mg/l

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

(1) TITANIUM DIOXIDE 0 %

1-PROPANAMINE, 3-  
(TRIETHOXYISILYL)- 67 % (28 d) Not readily degradable. hydrolyses

Octamethylcyclotetrasiloxane 3.7 % (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels (Headspace Test)) Not readily biodegradable.

Dibutyltin Dilaurate 23 % (39 d) The product is not readily biodegradable.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**TSE399-W**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 12.40

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

(1) Silica No data available.

CYCLOPENTYLSILAZANE No data available.

-AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

(1) TITANIUM DIOXIDE No data available.

1-PROPANAMINE, 3- No data available.

(TRIETHOXSILYL)-

Octamethylcyclotetrasiloxane No data available.

ne

Dibutyltin Dilaurate No data available.

**Other adverse effects:** No data available.

**13. Disposal considerations**

**General information:**

The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal instructions:**

Disposal should be made in accordance with federal, state and local regulations.

**Contaminated Packaging:**

Dispose of as unused product.

**14. Transport information**

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

SDS\_US

**TSE399-W**

**Special precautions for user:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Skin Corrosion or Irritation  
Serious eye damage or eye irritation  
Respiratory or Skin Sensitization  
Toxic to reproduction

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
METHYLPOLYSILOXANE	10000 lbs
Polydimethylsiloxane	10000 lbs
(1) Silica	10000 lbs
CYCLOPENTYLSILAZAN	10000 lbs
E-AMINOSILOXANE	
COPOLYMER, METHOXY	
TERMINATED	
(1) TITANIUM DIOXIDE	10000 lbs
1-PROPANAMINE, 3-	10000 lbs
(TRIETHOXSILYL)-	
Octamethylcyclotetrasiloxa	10000 lbs
ne	
Dibutyltin Dilaurate	10000 lbs

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

---

**TSE399-W**

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

METHYLPOLYSILOXANE

Polydimethylsiloxane

(1) Silica

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER,

METHOXY TERMINATED

Methyltrimethoxysilane

1-PROPANAMINE, 3-(TRIETHOXSILYL)-

Dibutyltin Dilaurate

Octamethylcyclotetrasiloxane

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

(1) Silica

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**TSE399-W**

**Inventory Status:**

EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	q (quantity restricted)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan. Taiwan inventory (CSNN):	y (positive listing)	Remarks: None.
Australia AICS:	n (Negative listing)	Remarks: None.
New Zealand Inventory of Chemicals:	n (Negative listing)	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	*	2
<b>Flammability</b>		1
<b>Physical Hazards</b>		1
<b>PERSONAL PROTECTION</b>		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 12/24/2018

**Revision Date:** No data available.

**Version #:** 2.0



---

**TSE399-W**

**Further Information:** No data available.

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, \*, and TM indicate trademarks owned by or licensed to Momentive.